

# TRACKS MAGNÉTICOS

MAGNETIC TRACK LIGHTS CATALOGUE

GARCÍA REQUEJO



2024

# MENU

• 01-10



• 11-16



• 17-18



• 19-24



• 25-26



• 27-28



• 29-30



• 31-36



• 37-42




• 43-44







# MAGNETIC TRACK LIGHTING







Black

White

### 48V Magnetic Flood Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
TRM-01	12W	L300*W22*H20mm	120°	Black/White	OSRAM
TRM-02	18W	L600*W22*H20mm	120°	Black/White	OSRAM
TRM-03	36W	L1200*W22*H20mm	120°	Black/White	OSRAM







Black


White

### 48V Magnetic Grille Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-04</b>	6W	L112*W22*H25mm	24°/36°	Black/White	OSRAM
<b>TRM-05</b>	12W	L222*W22*H25mm	24°/36°	Black/White	OSRAM










Black



White

### 48V Magnetic Adjustable Grille Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
TRM-06	6W	L113*W22*H55mm	24°	Black/White	OSRAM
TRM-07	12W	L226*W22*H55mm	24°	Black/White	OSRAM









Black




White

### 48V Magnetic Folding Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-08</b>	6W	L110*W22*H88mm	24°	Black/White	OSRAM
<b>TRM-09</b>	12W	L220*W22*H88mm	24°	Black/White	OSRAM











48V Magnetic Track Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
TRM-10	7W	Φ45*100mm	24°/36°	Black/White	Bridgelux
TRM-11	12W	Φ55*120mm	24°/36°	Black/White	Bridgelux
TRM-12	20W	Φ65*140mm	24°/36°	Black/White	Bridgelux





### 48V Magnetic Pendant Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-13</b>	7W	Φ60*125mm	24° / 36°	Black/White	Bridgelux
<b>TRM-14</b>	7W	Φ40*300mm	24° / 36°	Black/White	Bridgelux

# MAGNET TRACK

&

# CONNECTION MODULE



## MAGNETIC CORNER



TR- Surface rail

SIZE/ L100\*W62\*H46mm



TR- Recessed rail

SIZE/ L100\*W62\*H46mm




TR- Recessed rail

SIZE/ L100\*W62\*H46mm




TR- Surface corner

SIZE/ 80\*80mm



TR- Surface Yin Corner

SIZE/ 80\*80mm



TR- Recessed corner

SIZE/ 100\*100mm



TR- Recessed Yin corner

SIZE/ 100\*100mm




TR- Recessed Yang corner

SIZE/ 100\*100mm



TR- Recessed T corner

SIZE/ 100\*100mm



TR- Recessed + corner

SIZE/ 100\*100mm



TR- Recessed corner

SIZE/ 100\*100mm



TR- Recessed Yin corner

SIZE/ 100\*100mm



TR- Recessed Yang corner

SIZE/ 100\*100mm




TR- Recessed T corner

SIZE/ 100\*100mm




TR- Recessed + corner

SIZE/ 100\*100mm



TR- Surface T corner



TR- Surface + corner



TR- Through conductive





TR- Corner conductive




TR- Input conductive



## CONNECTION MODE




## SMART CONTROL






# MAGNETIC TRACK LIGHTING








### 48V Magnetic Grille Light Series


Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-15</b>	10W	L335*W35*H24mm	24°	Black/White	OSRAM
<b>TRM-16</b>	20W	L600*W35*H24mm	24°	Black/White	OSRAM
<b>TRM-17</b>	30W	L865*W35*H24mm	24°	Black/White	OSRAM






#### 48V Magnetic Flood Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-18</b>	12W	L370*W35*H24mm	120°	Black/White	OSRAM
<b>TRM-19</b>	24W	L670*W35*H24mm	120°	Black/White	OSRAM
<b>TRM-20</b>	36W	L970*W35*H24mm	120°	Black/White	OSRAM



#### 48V Magnetic Adjustable Grille Light Series


Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-21</b>	6W	L130*W34*H58mm	24°	Black/White	OSRAM
<b>TRM-22</b>	12W	L238*W34*H58mm	24°	Black/White	OSRAM
<b>TRM-23</b>	18W	L345*W34*H58mm	24°	Black/White	OSRAM



#### 48V Magnetic Track Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-24</b>	7W	Φ45*100mm	24°/36°	Black/White	Bridgelux
<b>TRM-25</b>	12W	Φ55*115mm	24°/36°	Black/White	Bridgelux
<b>TRM-26</b>	20W	Φ65*135mm	24°/36°	Black/White	Bridgelux

# MAGNETIC TRACK LIGHTING







48V Magnetic Track Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-27</b>	10W	L402*W18*H16mm	120°	Black	OSRAM
<b>TRM-28</b>	20W	L720*W18*H16mm	120°	Black	OSRAM
<b>TRM-29</b>	30W	L1040*W18*H16mm	120°	Black	OSRAM
<b>TRM-30</b>	12W	L347*W18*H16mm	120°	Black	OSRAM
<b>TRM-31</b>	18W	L480*W18*H16mm	120°	Black	OSRAM
<b>TRM-32</b>	24W	L610*W18*H16mm	120°	Black	OSRAM



# ROUND MAGNETIC TRACK LIGHTING







#### 48V Round Magnetic Grille Track Light Series

Item No	Power	Product Size	Beam angle	LED Chip
TRM-33	6W	180mm	24°/36°	OSRAM
TRM-34	12W	360mm	24°/36°	OSRAM



#### 48V Round Magnetic Folding Track Light Series

Item No	Power	Product Size	Beam angle	LED Chip
TRM-35	-8W	180mm	120°	OSRAM
TRM-36	-15W	360mm	120°	OSRAM



#### 48V Round Magnetic Track Light Series

Item No	Power	Product Size	Beam angle	LED Chip
TRM-37	-5W	35*80mm	24°/36°	Bridgelux
TRM-38	10W	45*120mm	24°/36°	Bridgelux



#### 48V Round Magnetic Fold Grille Light Series

Item No	Power	Product Size	Beam angle	LED Chip
TRM-39	-6W	60*22*117mm	24°/36°	OSRAM



#### 48V Round Magnetic Single Light series

Item No	Power	Product Size	Beam angle	LED Chip
TRM-40	-3W	--	24°	OSRAM



Round Through conductive module



Round Input conductive module




Round Built-in 48V power supply



L20 Surface

# SPOT LIGHT SERIES



The Art of simplicity



Square Narrow Trime

Round Trimeless

Square Trimeless


Round Trimeless Thin

### HONOR Spot Light Series

Item No	Power	Product Size	Cut Size	Beam angle	LED Chip
TRM-41	6W	Φ62*75mm	Φ55mm	15°/24°/36°/55°	Cree
TRM-42	8W	Φ85*60mm	Φ75mm	15°/24°/36°/55°	Cree
TRM-43	12W	Φ85*89mm	Φ75mm	15°/24°/36°/55°	Cree
TRM-44	18W	Φ104*115mm	Φ95mm	15°/24°/36°/55°	Cree

CCT: 3000K

6000K



# SPOT LIGHT SERIES






## Reflector



## Spot Light Series

Item No	Power	Product Size	Cut Size	Beam angle	LED Chip
TRM-45	7W	Φ65*80mm	Φ55mm	15°/24°/36°/55°	Bridgelux
TRM-46	12W	Φ85*85mm	Φ75mm	15°/24°/36°/55°	Bridgelux
TRM-47	15W	Φ85*100mm	Φ75mm	15°/24°/36°/55°	Bridgelux
TRM-48	20W	Φ110*118mm	Φ95mm	15°/24°/36°/55°	Bridgelux

CCT: 3000K 6000K



# SPOT LIGHT SERIES







## Reflector



Bright white

Bright black

Gun black

Bright silver

Matt silver




## Spot Light Series

Item No	Power	Product Size	Cut Size	Beam angle	LED Chip
TRM-49	5W	Φ65*75mm	Φ55mm	15°/24°/38°	Bridgelux
TRM-50	7W	Φ65*90mm	Φ55mm	15°/24°/38°	Bridgelux
TRM-51	7W	Φ85*79mm	Φ75mm	15°/24°/38°	Bridgelux
TRM-52	12W	Φ85*90mm	Φ75mm	15°/24°/38°	Bridgelux
TRM-53	18W	Φ85*100mm	Φ75mm	15°/24°/38°	Bridgelux
TRM-54	20W	Φ105*105mm	Φ95mm	15°/24°/38°	Bridgelux

CCT: 3000K

6000K





Black

White

### Adjustable Folding Surface Cylinder

Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-55</b>	10W	Φ72*108mm	15°/24°/36°/55°	Black/White	Bridgelux/Sanan
<b>TRM-56</b>	20W	Φ92*130mm	15°/24°/36°/55°	Black/White	Bridgelux/Sanan

**CCT:** 3000K

6000K






## Reflector



### Adjustable Folding Recessed Cylinder

Item No	Power	Product Size	Beam angle	Color	LED Chip
<b>TRM-57</b>	10 W	Φ72*108mm Φ83mm	15°/24°/36°/55°	Black/White	Bridgelux/Sanan
<b>TRM-58</b>	20W	Φ92*130mm Φ100mm	15°/24°/36°/55°	Black/White	Bridgelux/Sanan
<b>TRM-59</b>	10W	Φ72*108mm	15°/24°/36°/55°	Black/White	Bridgelux/Sanan
<b>TRM-60</b>	20W	Φ92*130mm	15°/24°/36°/55°	Black/White	Bridgelux/Sanan

CCT: 3000K 6000K



# TRACK LIGHT SERIES

## Product description

Can be widely used in commercial space lighting (shopping malls, hotels, entertainment, exhibition halls, shops etc.) ideal for the local lighting and accent lighting.



Track Light Series


Item No	Power	Product Size	Angle	Color	Phaze	LED Chip
TRM-61	7W	Φ45*100mm	10°-55°	Black	2/3/4 wire	Bridgelux
TRM-62	10W	Φ55*115mm	10°-55°	Black	2/3/4 wire	Bridgelux
TRM-63	20W	Φ65*135mm	10°-55°	Black	2/3/4 wire	Bridgelux
TRM-64	25W	Φ75*150mm	10°-55°	Black	2/3/4 wire	Bridgelux
TRM-65	30W	Φ85*165mm	10°-55°	Black	2/3/4 wire	Bridgelux

CCT: 3000K 6000K












220V LED Track Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
TRM-66	6W	L110*W22*90mm	24°	Black/White	OSRAM
TRM-67	12W	L220*W22*90mm	24°	Black/White	OSRAM

CCT: 3000K  6000K








220V LED Track Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
TRM-68	6W	L110*W22*90mm	24°	Black/White	OSRAM
TRM-69	12W	L220*W22*90mm	24°	Black/White	OSRAM

CCT: 3000K 6000K






# TRACK LIGHT SERIES



### 220V T35 Linear Track Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
TRM-70	7W	L199*W35*H49mm	24°/45°/120°	Black/White	OSRAM/SANAN
TRM-71	12W	L331*W35*H49mm	24°/45°/120°	Black/White	OSRAM/SANAN
TRM-72	20W	L464*W35*H49mm	24°/45°/120°	Black/White	OSRAM/SANAN
TRM-73	30W	L729*W35*H49mm	24°/45°/120°	Black/White	OSRAM/SANAN
TRM-74	40W	L861*W35*H49mm	24°/45°/120°	Black/White	OSRAM/SANAN

CCT: 3000K  6000K





**FIFA**  
**TRACK LIGHT**






220V FF 2.0 Track Light Series

Item No	Power	Product Size	Beam angle	Color	LED Chip
TRM-75	10W	Φ50*100mm	15°/24°/36°	Black/White	2/3/4 wire OSRAM /Cree Sanan/Bridgelux
TRM-76	20W	Φ60*135mm	15°/24°/36°	Black/White	2/3/4 wire OSRAM /Cree Sanan/Bridgelux
TRM-77	30W	Φ80*150mm	15°/24°/36°	Black/White	2/3/4 wire OSRAM /Cree Sanan/Bridgelux
TRM-78	40W	Φ90*180mm	15°/24°/36°	Black/White	2/3/4 wire OSRAM /Cree Sanan/Bridgelux

CCT: 3000K 6000K





## LED TRACK LIGHT SERIES


Item No	Power	Product Size	Beam angle	Color	Phaze	LED Chip
<b>TRM-79</b>	30W	70*150mm	24°	Black/White	2/3/4 wire	Bridgelux
<b>TRM-80</b>	35W	80*150mm	24°	Black/White	2/3/4 wire	Bridgelux
<b>TRM-81</b>	40W	90*150mm	24°	Black/White	2/3/4 wire	Bridgelux

CCT: 3000K  6000K



CE RoHS ERP   






The Linear Light Series

Item No	Power	Product Size	Cut Size	Beam Angle	LED Chip
TRM-82	2W	46*46*52mm	38*38mm	15° /24° /38°	OSRAM/Sanan
TRM-83	4W	69*46*52mm	60*35mm	15° /24° /38°	OSRAM/Sanan
TRM-84	6W	96*46*52mm	88*35mm	15° /24° /38°	OSRAM/Sanan
TRM-85	8W	76*76*52mm	68*68mm	15° /24° /38°	OSRAM/Sanan
TRM-86	10W	148*46*52mm	140*35mm	15° /24° /38°	OSRAM/Sanan
TRM-87	18W	106*106*52mm	98*98mm	15° /24° /38°	OSRAM/Sanan
TRM-88	20W	280*46*52mm	270*35mm	15° /24° /38°	OSRAM/Sanan
TRM-89	30W	417*46*52mm	408*35mm	15° /24° /38°	OSRAM/Sanan

CCT: 3000K 6000K






Down Light Series

Item No	Power	Product Size	Cut Size	Beam Angle	LED Chip
TRM-90	7W	138*78*50mm	78mm	24° /45°	OSRAM
TRM-91	9W	161*100*36mm	100mm	24° /45°	OSRAM
TRM-92	16W	177*115*36mm	115mm	24° /45°	OSRAM
TRM-93	24W	233*160*36mm	160mm	24° /45°	OSRAM

CCT: 3000K 6000K







## Reflector




### The Square & Thinner Down Light Series

Item No	Power	Product Size	Beam Angle	Cut Size	LED Chip
TRM-93	8W	130*110*38mm	24°	Black/White	Bridgelux/Sanan
TRM-94	20W	260*110*38mm	24°	Black/White	Bridgelux/Sanan
TRM-95	40W	260*210*38mm	24°	Black/White	Bridgelux/Sanan

CCT: 3000K 6000K







LED Down Light Series

Item No	Power	Product Size	Cut Size	CRI	LED Chip
TRM-96	5W	60*35mm	55mm	>80	Sanan
TRM-97	7W	85*45mm	75mm	>80	Sanan
TRM-98	9W	90*47mm	80mm	>80	Sanan
TRM-99	12W	105*50mm	95mm	>80	Sanan
TRM-100	15W	130*52mm	120mm	>80	Sanan
TRM-101	18W	160*60mm	145mm	>80	Sanan
TRM-102	24W	175*63mm	160mm	>80	Sanan
TRM-103	30W	220*75mm	200mm	>80	Sanan

CCT: 3000K 6000K





IP54 Waterproof Spot Light Series


Item No	Power	Product Size	Cut Size	Beam Angle	LED Chip
TRM-104	7W	85*70mm	75mm	24° /45° /60°	Bridgelux
TRM-105	12W	85*70mm	75mm	24° /45° /60°	Bridgelux
TRM-106	16W	110*78mm	95mm	24° /45° /60°	Bridgelux
TRM-107	20W	135*91mm	125mm	24° /45° /60°	Bridgelux
TRM-108	30W	180*106mm	155mm	24° /45° /60°	Bridgelux
TRM-109	40W	242*140mm	220mm	24° /45° /60°	Bridgelux

Reflector




CCT: 3000K 6000K





### Spot Light Series

Item No	Power	Product Size	Cut Size	Ra	LED Chip
TRM-110	7W	85*75mm	75mm	>97	Bridgelux
TRM-111	12W	85*75mm	75mm	>97	Bridgelux
TRM-112	18W	105*100mm	95mm	>97	Bridgelux
TRM-113	24W	105*100mm	95mm	>97	Bridgelux



### Down Light Series

Item No	Power	Product Size	Cut Size	Ra	LED Chip
TRM-114	6W	82*43mm	75mm	>97	Bridgelux
TRM-115	8W	82*43mm	75mm	>97	Bridgelux
TRM-116	10W	90*50mm	75mm	>97	Bridgelux



CCT: 3000K 6000K



# MINI SPOTLIGHT



## Starry Spot Light Series

Item No	Power	Product Size	Cut Size	Beam Angle	LED Chip
TRM-117	2W	Φ38*39mm	Φ30mm	10°/24°/36°	Bridgelux
TRM-118	5W	Φ45*48mm	Φ40mm	10°/24°/36°	Bridgelux
TRM-119	7W	Φ57*60mm	Φ50mm	10°/24°/36°	Bridgelux
TRM-120	9W	Φ70*79mm	Φ60mm	10°/24°/36°/60°	Bridgelux

CCT: 3000K 6000K







## **GARCÍA REQUEJO | CANDELABRO S.L.**

**WWW.GARCIAREQUEJO.COM**

INFO@GARCIAREQUEJO.COM

+34 947 310 624



GARCÍA REQUEJO